

Fig. 1a




Fig. 1b




Fig. 1c





Fig. 1d

KEY	VALUE		
NAME	Bob		
ADDRESS	123 Elm St. Anytown, ZZ		
NOTES	@Here is a line that begins with '@'		
PHONE	(999) 999-9999		
PIC	<pre><low bob="" jpeg="" of="" resolution=""></low></pre>		

Fig. 2a

Operation	Description	
ADD	Create a new key with some value	
REMOVE	Delete a key and its value	
MODIFY	Alter the value for a specified key	
QUERY	Return the value for a specified key	

Fig. 2b






Fig. 4




Fig. 5




Fig. 6a




Fig. 6b

630 🗸	NAME 632	JOB 634	PHONE 636
640~	Bob	<empty></empty>	1-800-CALL-BOB
650~	Ann	President	1-800-CALL-ANN

Fig. 6c

Spec File 001 @db/conf/tablename 002 people 003 @db/mail/to 004 nobody 005 @db/field/default/JOB 006 Staff

Fig. 6d

665 🗸	NAME	JOB	PHONE
670	Bob	Staff 667	1-800-CALL-BOB
675~	Ann	President	1-800-CALL-ANN

Fig. 6e

. 🕝 🕻 🧐




Fig. 6f




Fig. 6g




Fig. 6h




Fig. 7




Fig. 8a




Fig. 8b




Fig. 8c




Fig. 8d




Fig. 8e




Fig. 9a




Fig. 9b